


Amendments to the Claims:

The following is a complete list of claims indicating the changes incorporated by the present amendment and replacing all prior versions of the claims. Any claims canceled herein and all deletions made in claims that are not canceled herein are done so without prejudice to being re-instituted at a later date in this or a related application.

Listing of Claims:

- (Currently Amended) A compound having the formula:



wherein:

L² and L⁴ are members independently is selected from a bond, substituted or unsubstituted alkylene, and substituted or unsubstituted heteroalkylene;

L³ is unsubstituted methylene ~~a member selected from a bond, substituted or unsubstituted alkylene, substituted or unsubstituted heteroalkylene, C(O)-, C(O)NH-, and -S(O)_u-~~, wherein u is 0, 1, or 2;

the dashed lines a and b are optionally a bond, wherein if R² is =O, =N-OR^{2A}, or =CR^{2B}R^{2C}, then R¹ is absent, L² is a bond, and a is a bond attached directly to R³

the dashed line b is optionally a bond;

R¹ is absent or a member selected from hydrogen, substituted or unsubstituted alkyl, substituted or unsubstituted heteroalkyl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heterocycloalkyl, substituted or unsubstituted aryl, and substituted or unsubstituted heteroaryl;

R^2 is a member selected from $=O$, $=N-OR^{2A}$, $=CR^{2B}R^{2C}$, hydrogen, $-OR^{2D}$, $-C(O)R^{2D}$, $-C(O)NR^{2E}R^{2F}$, $-NR^{2E}R^{2F}$, substituted or unsubstituted alkyl, substituted or unsubstituted heteroalkyl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heterocycloalkyl, substituted or unsubstituted aryl, and substituted or unsubstituted heteroaryl, wherein R^{2A} , R^{2B} , R^{2C} and R^{2D} are members independently selected from hydrogen, substituted or unsubstituted alkyl, substituted or unsubstituted heteroalkyl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heterocycloalkyl, substituted or unsubstituted aryl, and substituted or unsubstituted heteroaryl;


R^{2E} and R^{2F} are members independently selected from hydrogen, substituted or unsubstituted alkyl, substituted or unsubstituted heteroalkyl, substituted or unsubstituted aryl, substituted or unsubstituted heterocycloalkyl, $-S(O)_mR^{2E1}$ and $-S(O)_mNR^{2E2}R^{2E3}$, wherein R^{2E} and R^{2F} are optionally joined to form a substituted or unsubstituted ring with the nitrogen to which they are attached, and R^{2E1} , R^{2E2} , and R^{2E3} are members independently selected from hydrogen, substituted or unsubstituted alkyl, substituted or unsubstituted heteroalkyl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heterocycloalkyl, substituted or unsubstituted aryl, and substituted or unsubstituted heteroaryl; and

m is 0, 1, or 2;

wherein R^2 and R^1 are optionally joined to form a substituted or unsubstituted ring;

R^3 is a member selected from substituted or unsubstituted higher alkyl, substituted or unsubstituted heteroalkyl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heterocycloalkyl, substituted or unsubstituted aryl, and substituted or unsubstituted heteroaryl;

R^3 has the formula:



(III)

wherein

Page 4 of 33

R^{41} is a member selected from hydrogen, substituted or unsubstituted alkyl, and substituted or unsubstituted heteroalkyl, and
 v is 0, 1, or 2; and
 w is an integer from 1 to 5.

2. (Canceled)

3. (Canceled)

4. (Currently Amended) The compound of claim 1, wherein ~~R^2 is =O and the dashed line b is a bond.~~

5.-9. (Canceled)

10. (Currently Amended) The compound of claim ~~[[9]]~~ 1, wherein

q is an integer selected from 1 to 3; and

R^{3D} is a member independently selected from hydrogen, substituted alkyl, substituted or unsubstituted heteroalkyl, substituted cycloalkyl, substituted or unsubstituted heterocycloalkyl, substituted aryl, and substituted or unsubstituted heteroaryl.

11. (Currently Amended) The compound of claim ~~[[9]]~~ 1, wherein

R^{3D} is a member independently selected from hydrogen, R^{3D7} -substituted (C_1 - C_{10}) alkyl, R^{3D7} -substituted or unsubstituted 2-10 membered heteroalkyl, R^{3D7} -substituted or unsubstituted (C_3 - C_8) cycloalkyl, R^{3D7} -substituted or unsubstituted 3-8 membered heterocycloalkyl, R^{3D8} -substituted or unsubstituted aryl, R^{3D8} -substituted or unsubstituted heteroaryl, $-NR^{3D1}R^{3D2}$, $-OR^{3D3}$, $-C(O)NR^{3D4}R^{3D5}$, and $-C(O)R^{3D6}$, wherein

R^{3D1} , R^{3D2} , R^{3D3} , R^{3D4} , R^{3D5} , and R^{3D6} are members independently selected from hydrogen, R^{3D7} -substituted or unsubstituted alkyl, R^{3D7} -substituted or unsubstituted heteroalkyl, R^{3D7} -substituted or unsubstituted cycloalkyl, R^{3D7} -substituted or unsubstituted heterocycloalkyl, R^{3D8} -substituted or unsubstituted aryl, and R^{3D8} -substituted or unsubstituted heteroaryl,

wherein R^{3D1} and R^{3D2} are optionally joined with the nitrogen to which they are attached to form a R^{3D7} -substituted or unsubstituted heterocycloalkyl, or R^{3D8} -substituted or unsubstituted heteroaryl, and

wherein R^{3D4} and R^{3D5} are optionally joined with the nitrogen to which they are attached to form a R^{3D7} -substituted or unsubstituted heterocycloalkyl, or R^{3D8} -substituted or unsubstituted heteroaryl,

wherein


R^{3D7} is a member selected from halogen, oxo, -OH, -COOH, -CF₃, -NH₂, -SH, R^{3D9} -substituted or unsubstituted (C₁-C₁₀) alkyl, R^{3D9} -substituted or unsubstituted 2-10 membered heteroalkyl, R^{3D9} -substituted or unsubstituted (C₃-C₈) cycloalkyl, R^{3D9} -substituted or unsubstituted 3-8 membered heterocycloalkyl, R^{3D10} -substituted or unsubstituted aryl, and R^{3D10} -substituted or unsubstituted heteroaryl, and

R^{3D8} is a member selected from halogen, -OH, -COOH, -CF₃, -NH₂, -SH, R^{3D9} -substituted or unsubstituted (C₁-C₁₀) alkyl, R^{3D9} -substituted or unsubstituted 2-10 membered heteroalkyl, R^{3D9} -substituted or unsubstituted (C₃-C₈) cycloalkyl, R^{3D9} -substituted or unsubstituted 3-8 membered heterocycloalkyl, R^{3D10} -substituted or unsubstituted aryl, and R^{3D10} -substituted or unsubstituted heteroaryl,

R^{3D9} is a member selected from halogen, oxo, -OH, -COOH, -CF₃, -NH₂, -SH, unsubstituted (C₁-C₁₀) alkyl, unsubstituted 2-10 membered heteroalkyl, unsubstituted (C₃-C₈) cycloalkyl, unsubstituted 3-8 membered heterocycloalkyl, unsubstituted aryl, and unsubstituted heteroaryl, and

R^{3D10} is a member selected from halogen, -OH, -COOH, -CF₃, -NH₂, -SH, unsubstituted (C₁-C₁₀) alkyl, unsubstituted 2-10 membered heteroalkyl, unsubstituted (C₃-C₈) cycloalkyl, unsubstituted 3-8 membered heterocycloalkyl, unsubstituted aryl, and unsubstituted heteroaryl.

12. (Original) The compound of claim 11, wherein R^3 has the formula:



(IV),

wherein

R^{3D} is a member selected from hydrogen, R^{3D7} -substituted (C_1 - C_5) alkyl, R^{3D7} -substituted or unsubstituted 2-5 membered heteroalkyl, R^{3D7} -substituted (C_5 - C_7)cycloalkyl, R^{3D7} -substituted or unsubstituted 5-7 membered heterocycloalkyl, R^{3D8} -substituted aryl, R^{3D8} -substituted or unsubstituted heteroaryl, $-NR^{3D1}R^{3D2}$, $-OR^{3D3}$, $-C(O)NR^{3D4}R^{3D5}$, and $-C(O)R^{3D6}$.

13. (Original) The compound of claim 12, wherein

R^{3D} is a member selected from $-NR^{3D1}R^{3D2}$, $-OR^{3D3}$, $-C(O)NR^{3D4}R^{3D5}$, and R^{3D7} -substituted or unsubstituted heteroaryl comprising a ring nitrogen, wherein R^{3D1} and R^{3D2} are members independently selected from hydrogen, R^{3D7} -substituted alkyl, R^{3D7} -substituted or unsubstituted heteroalkyl, R^{3D7} -substituted or unsubstituted heterocycloalkyl, and R^{3D8} -substituted or unsubstituted heteroaryl, wherein R^{3D1} and R^{3D2} are optionally joined with the nitrogen to which they are attached to form a R^{3D7} -substituted or unsubstituted heterocycloalkyl, or R^{3D8} -substituted or unsubstituted heteroaryl, wherein said ring optionally comprises an additional ring heteroatom; and

R^{3D3} , R^{3D4} and R^{3D5} are members independently selected from hydrogen, R^{3D7} -substituted or unsubstituted heteroalkyl comprising a nitrogen heteroatom, R^{3D7} -substituted or unsubstituted heterocycloalkyl comprising a ring nitrogen, R^{3D8} -substituted or unsubstituted heteroaryl comprising a ring nitrogen, and alkyl substituted with a R^{3D9} -substituted or unsubstituted heteroalkyl comprising a nitrogen heteroatom, R^{3D9} -substituted or unsubstituted heterocycloalkyl comprising a ring nitrogen, or R^{3D10} -substituted or unsubstituted heteroaryl comprising a ring nitrogen, wherein R^{3D4} and R^{3D5} are optionally joined with the nitrogen to which they are attached to form a R^{3D7} -substituted or unsubstituted heterocycloalkyl, or R^{3D8} -substituted or unsubstituted heteroaryl, wherein said ring optionally comprises a heteroatom.

14. (Original) The compound of claim 13, wherein

R^{3D1} and R^{3D2} , and R^{3D4} and R^{3D5} are optionally joined with the nitrogen to which they are attached to form a R^{3D7} -substituted or unsubstituted heterocycloalkyl comprising an additional heteroatom, or R^{3D8} -substituted or unsubstituted heteroaryl comprising an additional heteroatom.

15. (Original) The compound of claim 14, wherein R^{3D1} and R^{3D2} , and R^{3D4} and R^{3D5} are optionally joined with the nitrogen to which they are attached to form a R^{3D8} -substituted or unsubstituted oxazolyl, imidazolyl, thiazolyl, isooxazolyl, pyrazolyl, isothiazolyl, purinyl, pyradiziny, pyrimidinyl, pyrazinyl, or quinoxaliny.

16.-18. (Canceled)

19. (Previously Presented) The compound of claim 1, wherein

R^{4G} is a member independently selected from hydrogen, halogen, -OH, -COOH, -CF₃, -NH₂, -SH, R^{4G1} -substituted or unsubstituted alkyl, R^{4G1} -substituted or unsubstituted heteroalkyl, R^{4G1} -substituted or unsubstituted cycloalkyl, R^{4G1} -substituted or unsubstituted heterocycloalkyl, R^{4G2} -substituted or unsubstituted aryl, and R^{4G2} -substituted or unsubstituted heteroaryl, wherein

R^{4G1} is a member selected from halogen, oxo, -OH, -COOH, -CF₃, -NH₂, -SH, R^{4G3} -substituted or unsubstituted (C₁-C₁₀) alkyl, R^{4G3} -substituted or unsubstituted 2-10 membered heteroalkyl, R^{4G3} -substituted or unsubstituted (C₃-C₈) cycloalkyl, R^{4G3} -substituted or unsubstituted 3-8 membered heterocycloalkyl, R^{4G4} -substituted or unsubstituted aryl, and R^{4G4} -substituted or unsubstituted heteroaryl, and

R^{4G2} is a member selected from halogen, -OH, -COOH, -CF₃, -NH₂, -SH, R^{4G3} -substituted or unsubstituted (C₁-C₁₀) alkyl, R^{4G3} -substituted or unsubstituted 2-10 membered heteroalkyl, R^{4G3} -substituted or unsubstituted (C₃-C₈) cycloalkyl, R^{4G3} -substituted or unsubstituted 3-8 membered heterocycloalkyl, R^{4G4} -substituted or unsubstituted aryl, and R^{4G4} -substituted or unsubstituted heteroaryl,

R^{4G3} is a member selected from halogen, oxo, -OH, -COOH, -CF₃, -NH₂, -SH, unsubstituted (C₁-C₁₀) alkyl, unsubstituted 2-10 membered heteroalkyl, unsubstituted (C₃-C₈) cycloalkyl, unsubstituted 3-8 membered heterocycloalkyl, unsubstituted aryl, and unsubstituted heteroaryl, and R^{4G4} is a member selected from halogen, -OH, -COOH, -CF₃, -NH₂, -SH, unsubstituted (C₁-C₁₀) alkyl, unsubstituted 2-10 membered heteroalkyl, unsubstituted (C₃-C₈) cycloalkyl, unsubstituted 3-8 membered heterocycloalkyl, unsubstituted aryl, and unsubstituted heteroaryl.

20. (Original) The compound of claim 19, wherein A is a member selected from phenyl, pyrazolyl, furanyl, imidazolyl, isoxazolyl, oxadiazolyl, oxazolyl, pyrrolyl, pyridyl, pyrazyl, pyrimidyl, pyridazinyl, thiazolyl, isothiazolyl, triazolyl, thienyl, triazinyl, thiadiazolyl, dioxolanyl, dioxanyl, trioxanyl, tetrahydrothienyl, tetrahydrofuranyl, tetrahydrothiophenyl, tetrahydropyranyl, tetrahydrothiopyranyl, pyrrolidinyl, morpholino, piperidinyl, and piperazinyl.

21. (Previously Presented) The compound of claim 1, wherein R^{4G} is selected from hydrogen, substituted (C₁-C₅) alkyl, substituted or unsubstituted 2-5 membered heteroalkyl, substituted (C₅-C₇)cycloalkyl, substituted or unsubstituted heterocycloalkyl, substituted aryl, and substituted or unsubstituted heteroaryl;

A is a substituted or unsubstituted ring selected from substituted or unsubstituted 3-7 membered heterocycloalkyl, substituted or unsubstituted aryl, and substituted or unsubstituted heteroaryl; and

R^{4I} is hydrogen.

22. (Previously Presented) The compound of claim 1, wherein R^{4G} is a branched or unbranched (C₁-C₁₀)alkyl.

23. (Previously Presented) The compound of claim 1, wherein X is -S(O)₂-.


24. (Currently Amended) The compound of claim 1, wherein

E^2 , E^3 and L^4 are members independently is selected from a bond and unsubstituted (C₁-C₅) alkylene.

25. (Currently Amended) The compound of claim 1 wherein the dashed line b is a bond;
 R^2 is $=O$;
 R^3 is ~~substituted or unsubstituted benzyl~~;
 R^{4G} is a member selected from substituted or unsubstituted alkyl, substituted or unsubstituted heteroalkyl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heterocycloalkyl, substituted or unsubstituted aryl, and substituted or unsubstituted heteroaryl,
X is $-S(O)_2-$;
W is 1;
 L^3 is ~~a bond~~; and
 L^4 is a bond.


26. (Canceled)

27. (Original) The compound of claim 1 having the formula:




(VIII).

28. (Original) The compound of claim 1 having the formula:



(XI).

29. (Previously Presented) The compound of claim 1 having the formula:



(X)

wherein

R^{4G} is a member selected from substituted or unsubstituted alkyl, substituted or unsubstituted heteroalkyl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heterocycloalkyl, substituted or unsubstituted aryl, and substituted or unsubstituted heteroaryl;

and

X is a member selected from a bond, $-S(O)_2-$, and $-S(O)_2NR^{4I}-$, wherein

R^{4I} is a member selected from hydrogen, substituted or unsubstituted alkyl, and substituted or unsubstituted heteroalkyl.


30. (Withdrawn) A method of treating a disorder or condition through modulating a glucocorticoid receptor, the method comprising administering to a subject in need of such treatment, an effective amount of the compound of claim 1.

31. (Withdrawn) A method of treating a disorder or condition through antagonizing a glucocorticoid receptor, the method comprising administering to a subject in need of such treatment, an effective amount of the compound of claim 1.

32. (Withdrawn) A method of modulating a glucocorticoid receptor including the steps of contacting a glucocorticoid receptor with the compound of claim 1 and detecting a change in the activity of the glucocorticoid receptor.

33. (Original) A pharmaceutical composition comprising a pharmaceutically acceptable excipient and the compound of claim 1.

34. (Previously Presented) The compound of claim 1 having the formula:










(CXX)

wherein


R^{4A} is selected from the group consisting of cycloalkyl, heterocycloalkyl, aryl, and heteroaryl.

35. (Currently Amended) **The A** compound **of claim 1**, selected from the group consisting of:







(XIX)




(XX)




(XXI)




(XXII)




(XXIII)




(XXIV)




(XXV)




(XXVI)




(XXVII)




(XXVIII)










(XXIX)











(XXX)




(XXXI)









(XLVI)




(XLVII)




(XLVIII)




(XLIX)




(L)




(LI)




(LII)




(LIII)




(LIV)




(LV)




(LVI)




(LVII)




(LVIII)




(LIX)




(LX)




(LXI)









(LXII)








(LXIII)




(LXIV)









(LXXV)




(LXXVI)









(LXXVII)














(LXXVIII)















(LXXIX)
























(CXVI)




(CXVII)




(CXVIII)



(CXIX)



(CXX)



(CXXI)

